



EN 1143-1
Gr. III-VI



NT Fire 017
60 Paper



EN 1143-1 EX
Gr. III-VI



Inviktus

THE ONLY NAME FOR TRIPLE-CERTIFIED
STRENGTH AND RESISTANCE

InviKtus

A premium range of safes that offers superior strength and resistance against burglary, fire and explosives, InviKtus offers a stylish dark blue color with silver handles and is ideal for companies in the banking and retail industries.

KEY BENEFITS

TRIPLE CERTIFICATION:

Burglary (EN 1143-1 A2p), Fire (NT Fire 017 – 60 Paper) and Explosives (EN 1143-1 EX A2p).

FOUR PROTECTION GRADES:

III, IV, V and VI.

ENHANCED DESIGN:

Shorter, shallower and 10–25% lighter with larger volume and thicker walls (170 mm instead of 103 mm).

IMPROVED OPERATION:

Two new handles (one opening, one pull) for easy opening on larger models.

SIX SIZES PER GRADE:

140, 210, 310, 420, 600, 1120 litres.

AN ANCHORING BOLT for

fixing to the ground or wall.

SECURE BOLT WORK:

Four lateral steel bolts, one bottom bolt and a fully anchoring lateral bar.


CERTIFIED LOCKS:

MxB (level B/E and C/E), Moneo (Sensitive or Visual, level C/E) and optional Kelnet (level B/E).




CHOOSE FROM A VARIETY OF FITTINGS


Shelf ; Reinforced shelf ; Shelf with holding system ; Lockable drawer ; Lockable compartment ; Safe Deposit locker columns ; Deposit head (DFX head depending on models).




Shelf




Reinforced shelf




Shelf with files holding system




Lockable drawer



Lockable compartment



Safe deposit locker columns



Deposit head (DFX head depending on models)

Ranges of safes that can offer the same level of triple-certified protection for as many sizes and grades are very rare. Discover greater peace of mind that only InviKtus can offer.

IDEAL FOR

TRIPLE-CERTIFIED PROTECTION

The InviKtus range has been certified EN 1143-1 by the European Certification Board of Security (ECB•S) and awarded the A2p label by the French Centre National de Prévention et de Protection (CNPP) in burglary and explosion resistance, and NT Fire 017 – 60 Paper by the SP Technical Research Institute of Sweden in fire. The wide range of mechanical and electronic lock combinations are all A2p/EN 1300-certified.

thickness increases from 103 mm to 170 mm, and includes higher volumes. Two new handles (one opening, one pull) help users to open and to close the safe more easily than ever before. All models include four lateral steel bolts, one bottom bolt and a fully anchoring lateral bar. The attractive appearance features a stylish dark blue colour with silver handles, which is perfectly suited for use within any architectural interior style. The aesthetic shapes contribute to the overall elegance, while providing the highest levels of security.

FOUR PROTECTION GRADES, SIX SIZES PER GRADE

A variety of protection grades and sizes meets every security need. Six sizes per grade are available from 140- to 1120-litre capacity.

PRACTICALITY MEETS STYLE

The new and improved design is shorter, shallower and 10–25% lighter than the standard high-graded safes. Wall

TEST VERIFICATION

Once tested, products are analysed by the test laboratory in order to verify that they correspond to the technical drawings delivered prior to the test. Fichet-Bauche's patented composite material guarantees strong resistance against even the most high-performance attack tools.

FICHET-BAUCHE PROMISE

Fichet-Bauche products are designed and manufactured in accordance with the ISO 9001 standard for Quality Management Systems, ISO 18001 for Occupational Health and Safety Management Systems and ISO 14000 for Environmental Management Systems. The InviKtus safes deliver on the Fichet-Bauche guarantee: they are manufactured in France and all safe components are tested by the Fichet-Bauche laboratory in compliance with the current European standards.

LOCKING CONFIGURATIONS

Choose from a combination of mechanical and electronic lock combinations:

		MxB-B	MxB-C	Moneo	Nectra	Kelnet
Grade III	1st lock	X	-	-	-	-
	2nd lock	X	-	X	X	X
Grade IV and V	1st lock	X	-	-	-	-
	2nd lock	X	-	X	X	X
Grade VI	1st lock	-	X	-	-	-
	2nd lock	-	X	X	-	X


Single Lock	MxB	Moneo	Nectra	Kelnet
Grade III	X	X	X	X



From left: Fichet-Bauche's unique MxB, MC4, Moneo, Nectra and Kelnet.

InviKtus

TECHNICAL SPECIFICATIONS



Dimensions (mm)	InviKtus 14	InviKtus 20	InviKtus 30	InviKtus 40	InviKtus 60	InviKtus 120
External height	790	920	1270	1470	1850	1850
External width	730	730	730	810	880	1500
External depth	640	740	740	740	740	740
Internal height	620	750	1100	1300	1680	1680
Internal width	560	560	560	640	710	1330
Internal depth	400	500	500	500	500	500
Internal capacity (litres)	139	210	308	416	596	1117
Weight (kg) Grade III EX	600	745	970	1180	1530	2295
Weight (kg) Grade IV EX	615	775	1005	1225	1590	2380
Weight (kg) Grade V EX	655	825	1075	1310	1695	2535
Weight (kg) Grade VI EX	700	880	1150	1400	1810	2710
Number of doors	1	1	1	1	1	2
Customization						
Internal fittings						
Shelf	X	X	X	X	X	
Reinforced shelf	-	X	X	X	X	
Shelf with holding system	-	X	X	-	X	
Lockable drawer	-	X	X	-	X	
Lockable compartment						
- H 200mm	-	-	-	X	X	
- H 400mm	-	-	-	-	X	
Variants						
Alarm feature*	-	X	X	X	X	

* Contact Fichet

AUTHORISED DEALER